14 MM PRIME - MARCHE
A16104



Dimension plank

LENGTH	82-1/2″ RL (2100 mm RL)
WIDTH	9 1/2″ (240 mm)
TOTAL THICKNESS	9/16″ (14 mm)

Dimension box

BOX LENGTH	82 3/4″ (2100 mm)
BOX WIDTH	9 4/5″ (250 mm)
BOX THICKNESS	2 1/2″(60 mm)
BOX WEIGHT	46 lb
LAGEN/PAK	4
SQFT/BOX	21.74 sqft

Dimension pallet

PALLET LENGTH	86 2/3″ (2200 mm)
PALLET WIDTH	39 1/2″ (1000 mm)
PALLET HEIGHT	45 1/4″ (1150 mm)
GEWICHT PALLET	2811 lb
BOX/PALLET	60
SQFT/PALLET	1304.40 sqft

FEATURES

Top layer

HOUTSOORT	Oak
LATIJNSE NAAM	Quercus Robur
SORTERING	PRIME
OPBOUW	2-layer
VELLING	Micro bevel 4 sides (0.5 mm)
OPPERVLAKTESTRUCTUUR	Smooth

Composition of the support

SUPPORT TYPE	Engineered
BASE OF THE SUPPORT	Plywood

Placement

SYSTEM

Tongue and groove

APPLICATIONS

- Light household use
- Moderate commercial use
- Normal commercial use
- Normal household use
- Intensive commercial use

VLOERVERWARMING

Yes

HERSCHUURBAAR

Yes

© This fact sheet was written by Labeco BVBA, Sprietestraat 326, B-8792 Waregem. Text, photographs, drawings, tables , graphs should in no way be distributed , used or copied unless LABECO BVBA has granted reproduction rights. At the moment of establishment of the sheet, all information is specified correctly. The company reserves the right to change the specifications of the product at any time without prior notice to third parties. The photographs, drawings, tables , graphs used in this sheet are intended only as illustrations. No rights can be derived from them.

14 MM PRIME - MARCHE
A16104

TECHNICAL SPECIFICATIONS

	Norm	Result
REACTION TO FIRE	EN 13501-1	Dfl-S1
FORMALDEHYDE EMISSION	CARB PH2	CARB PH2
PCP	CEN/TR 14823	≤ 5ppm
THERMAL CONDUCTIVITY	EN 12667 / ISO 8302	0,11m² k/w
BIOLOGICAL DURABILITY	EN 335	Class 1
BREAKING STRENGTH	EN 1533	Pass
SLIPPERINESS	EN 15676	Pass
MOISTURE CONTENT	EN 13183-1	7% (+/-2%)

CERTIFICATION

CE
EN 14342

ÉMISSIONS DANS L'AIR INTÉRIEUR
A+
A+ A B C

Highly recommended for living areas.
AgBB
-tested

CODE FOR A SUSTAINABLE BUILT ENVIRONMENT
BREEAM

EMISSION CLASS FOR BUILDING MATERIAL
M1

© This fact sheet was written by Labeco BVBA, Sprietestraat 326, B-8792 Waregem. Text, photographs, drawings, tables , graphs should in no way be distributed , used or copied unless LABECO BVBA has granted reproduction rights. At the moment of establishment of the sheet, all information is specified correctly. The company reserves the right to change the specifications of the product at any time without prior notice to third parties. The photographs, drawings, tables , graphs used in this sheet are intended only as illustrations. No rights can be derived from them.